This Page Is Inserted by IFW Operations and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.


Defects in the images may include (but are not limited to):


- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

As rescanning documents will not correct images, please do not report the images to the Image Problem Mailbox.

openes. Leoros





V

 Ω

FIGURE 1

195												•	•_					0
190	A2	Long A	A 642	A 6614	A 6256	A 6190	A 5857	A 1734	B 18537	B 8/60	B 1355	B 15291	B 10010	B 4843	B 9320	Bovine	AR10c/1	AR10c/1
180	PPSKPNNDFHFEVFNFVPCSICSNNPTCWAICKRIPNKKPGKK		2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 1 1 1 1 1 1 1 1 1 1 1				X - :	GQL-KSTSNK	OTKSTSNK	GQL-KSTSNK	GQL-KSTSNK	GQL-KST-SSNK	QL-KSTSNK	QL-KSTSNK	EG-LA-LSL-HIETERA-SRA	-R	RT
170	PCSICSNNP	1 1 1 1 1 1	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 1 1 1 1 1	09	0B	09	<u> </u>	09	09	09	- L	L	1 1 1 1 1 1
160	SKPNNDFHFEVFNFV	N	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		N	N		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	-KKD-Y	-KKD-Y	-KKD-Y	-KKD-Y	-KKD-Y	-KKD-Y	KKD-Y	ENHQDHNN-QTLPY-	-d	
150	KORONKPPS	N	1 1 1 1	H - 1	N				-S-SKN-	-S-SKN-	- b - pKN-	-b-LKN-	-P-LKN-	-P-LKN-	-S-SKNKKD-Y	NPSGSIE	1 1 1 1 1 1 1 1 1	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
-	_ ~	7	က	4	2	9	7	. ∞	0	10	7	12	13	14	15	16	17	18

* Isolates from the same child with an interval of one year between isolations.

generated by propagation of the Long A strain in the presence of antibody directed at the cysteine containing Isolates of the human A variants R10c/1 and R10c/10 were constant region on the G protein. a monoclonal





FIGURE 3A



FIGURES 3B to 3D





FIGURE 4A



FIGURES 4B TO 4D




FIGURE 5




FIGURE 6




FIGURE 7

11/23




FIGURE 8






FIGURE 9A



FIGURES 9B & 9C



ngenes.leones

160 JKPPSKPNNDFHF (NKKD-Y	150 160 170 180 195 195 195 195 195 195 195 195 195 195	190 195 	Human A Human B	A B
HQDHNN-	NPSGSIENHQDHNN-QTLPYT-EG-LA-LSL-HIETERA-SRA	ETERA-SRA	Bovine	
CODYSDF	SSOKSN-SETOODYSDFOILPYNRGDSA-1,SI,-ODRSFSII,D-A Ovine	RGECTI, D-A	Ovine	



Title: VIRAL PEPTIDES WITH STRUCTURAL HOMOLOGY TO PROTING OF RESPIRATORY SYNCYTIAL VIRUS

In Tr(s): Jeffrey John GORMAN Application No.: 09/202,035 Docket No.: 273402004000

Sheet 16 of 23

AckQRQNKPPSKPNNDFHFEVFNFVPCSICSNNPTCWAICKRIPNKKPGKKAmide ACFHFEVFNFVPCSICSNNPTCWAICKRIPNKKPGKKAmide fitckQRQNKPPSKPNNDFHFEVFNFVPCSICSNNPTCWAICKRIPNKKPGKKAmide biotKQRQNKPPSKPNNDFHFEVFNFVPCSICSNNPTCWAICKRIPNKKPGKKAmide bbKQRQNKPPSKPNNDFHFEVFNFVPCSICSNNPTCWAICKRIPNKKPGKKAmide fitcfHFEVFNFVPCSICSNNPTCWAICKRIPNKKPGKKAmide 195 ACKQRQNKPPSKPNNDFHFEVFNFVPCSICSNNPTCWAICKRIPAmide 190 ACKQRQNKPPSKPNNDFHFEVFNFVPCSICGAmide 180 170 fitcVTRQRRARNGASRS 160 150

S

9

4

FIGURE 12

σ

ω




FIGURE 13




FIGURE 14




FIGURE 15




FIGURE 16




FIGURE 17




FIGURE 18




FIGURE 19




FIGURE 20




FIGURE 21

